

TEL:010-65919939/010-65911669/010-65916639 FAX:0086-10-58693539

# **Material Safety Data Sheet**

1) Identification of the substance/preparation and the company:

Name of goods: FULLY REFINED PARAFFIN WAX

MELTING POINT: 56-58 DEG. C,

OIL CONTENT: 0.5 PCT MAX

Producer: BEIJING DONGKE UNITED TECHNOLOGIES CO.,LTD Supplier: BEIJING DONGKE UNITED TECHNOLOGIES CO.,LTD

Address: ROOM 918, FLOOR 9, BUILDING 2, NO. 22 GUANGHUA ROAD

CHAOYANG DIST. BEIJING, CHINA

Tel: 0086-10-58695969

# 2) Composition/information on ingredients:

Ingredients CAS %Weight in product

Paraffin waxes( Petrolem), Hydrotreated 8002-74-2 100

# 3) Hazard Identification:

#### **Emergency Overview**

As part of good industrial and personal hygiene and safety procedure, avoid all unnecessary exposure to the chemical substance and ensure prompt removal

from skin, eyes and clothing.

Hazard identification: none
Certical hazards to man solid none

and the environment liquid May cause burns
Short-term contact solid No hazards

liquid May cause burns

Eye contact solid No hazards

liquid The hot fluid may cause damage to the eyes

powder May be irritating

Skin contact solid No hazards

liquid The hot fluid may cause burns



TEL:010-65919939/010-65911669/010-65916639 FAX:0086-10-58693539

| inhalation | solid    | No hazards                                   |
|------------|----------|--|
|            | Liquid ) | Inhalation of paraffin wax vapours or        |
|            | Powder)  | powder-particles may cause respiratory tract |
|            |          | irritation                                   |
| Ingestion  | solid    | No hazards, see point 11 toxicology          |
|            | liquid   | Because of the temperature may cause burns   |
|            |          | on contact with mouth/oesophagus/stomach     |
|            |          |  |

### 4) First Aid measures:

| Immediate measures: | solid  | none   |
|---------------------|--------|--|
|                     | liquid | Same action as in case of burn               |
| Eye contact         | liquid | Flush eyes with cold water. Seek medical     |
|                     |        | attention                                    |
| Skin contact        | liquid | Immerse the area in water to assist cooling, |
|                     |        | apply sterile cover. Seek medical attention. |
| inhalation          |        | Not applicable                               |
| Ingestion           |        | May cause damage only in liquid (hot) state. |
|                     |        | Same action as in case of burns.             |
| Advice to physician |        | See above                                    |
|                     |        |  |

# 5) Fire-fighting measures:

| Suitable extinguishing media          | CO <sub>2</sub> , foam, dry chemical powder, sand |
|---------------------------------------|---|
| Extinguishing media which must not    | Water   |
| be used for safety reasons            |   |
| Special exposure hazards arising from | Incomplete combustion produces furnes, flue       |
| the substance, its combustion         | gases, carbon monoxide                            |
| products, resulting gases             |   |
| Special protective equipment          | Breathing protection independent of the           |
|                                       | ambient air                                       |
| Additional information                | Apply cold water in order to cool containers      |
|                                       | and environment exposed to danger.                |
|                                       |   |

# **Special Information:**

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode.



TEL:010-65919939/010-65911669/010-65916639 FAX:0086-10-58693539

### 6) Accidental release measures:

Personal precautions solid Not applicable

liquid Avoid contact with hot liquid

Environmental precautions Solid ) Keep away from drains and surface water

Liquid )

liquid

Method of cleaning up solid Not applicable

liquid Contain the product, allow to cool and remove

mechnically

Additional Instructions solid Not applicable

Inform authorities in the case of leakage of

large amounts

#### 7) Handling and Storage:

Handling There are no special regulations

Instructions for safe solid Usual handling of solid transport goods

handling

liquid Usual precautions for handling fluids.

Consider common hygiene measures for

handling chemical substances

Instructions for prevention solid

of fire and explosion liquid Prevent aerosol generation during pumping

powder Danger (of explosion) adopt measures to

prevent dust-explosion; (see point 9)

Storage

Requirements for storage Slabs/ ) Store under cool, dry and light protected

None

rooms and conditions powder/) conditions

pastilles)

Liquid Storage tanks have to be installed and

managed according to official regulations

Information on storage Liquid material is not allowed to contain

concerning incompatible water at temperatures above 100 ℃ (delay

substances in boiling)

Additional information See point 10=stability and reactivity

#### 8) Exposure controls/ Personal protection:



TEL:010-65919939/010-65911669/010-65916639 FAX:0086-10-58693539

#### **Exposure limits**

Ensure good ventilations when processing at elevated temperatures.

#### Personal protection

Respiratory protection solid none

liquid Works in well ventilated rooms

Hand protection solid None

liquid Wear rubber or leather gloves

Eye protection solid None

liquid Wear safety goggles

Body protection solid None

liquid Wear protective clothing

### 9) Physical Properties:

Physical state: White waxy solid.

Above the melting point, liquid.

Color (Saybolt) Min +30 ASTM D156

Odour 1

Melting point: 56-58  $^{\circ}$ C ASTM D87 Oil content Wt% 0.80 ASTM D721 Needle Penetration 1/10mm (25  $^{\circ}$ C) 15 Max ASTM D1321

FDA Passed 172.886

78.3710

Mechanical Impurity and Water Negative Observation
Acid and Alkali with Water solubility Negative SH/T0407

#### 10) Stability and reactivity:

Condition to avoid liquid High temperature, open flames, other

sources

Material to avoid Solid/) Avoid contact with strong oxidizing agents

Liquid )

Hazardous decomposition Carbon dioxide, carbon monoxide

### 11) Toxicological information:

<u>Toxicological information</u>

Summary There is no evidence for toxic effects to experimental



TEL:010-65919939/010-65911669/010-65916639 FAX:0086-10-58693539

animal of paraffin wax

<u>Carcinogenicity</u> no evidence

---NTP Carcinogen---

Ingredient Paraffin Wax (8002-74-2)

Known No
Anticipated No
IARC Category None

## 12) Ecological Information:

Environmental Fate: No information found. Environmental Toxicity: No information found.

#### 13) Disposal considerations:

Where possible, arrange for product to be recycled. Dispose of via an authorized/licensed waste disposal contractor in accordance with local regulations. Do not dispose of near ponds, ditches, down drains or onto soil. Dispose of product and container carefully and responsibly.

#### 14) Transport Information:

Not classified as hazardous for transport in solid form.

#### 15) Regulatory Information:

Not classified as hazardous for supply.

### 16) Other Information:

Disclaimer:

\*

BEIJING DONGKE UNITED TECHNOLOGIES CO.,LTD provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

BEIJING DONGKE UNITED TECHNOLOGIES CO.,LTD NO REPRESENTATIONS OR



TEL:010-65919939 /010-65911669 /010-65916639 FAX:0086-10-58693539

WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, BEIJING DONGKE UNITED TECHNOLOGIES CO.,LTD WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.